

I n t r o d u c i n g l a t e s t
S O U T H E R N W I N D S H I P Y A R D
a d v a n c e d c o m p o s i t e c o n s t r u c t i o n s



FARR 72



SOUTHERN
Wind
SHIPYARD



FARR 72 in composite - Charter option.

*This yacht is constructed in a composite Epoxy resin, E-glass, Kevlar sandwich and then post cured.
The whole design has been engineered by SP Systems Technologies.*

Designer Bruce Farr & Associates

Interior designer Arch. Antonio Minniti

Builder Southern Wind Shipyard

L.O.A. 21.89 m (71.10')

L.W.L. 18.37 m (60.40')

Beam 5.756 m (18.10')

Draft 2.80 m (9.20')

Displacement 33 tonnes

Ballast 11.4 tonnes

Sail Area Main + Genoa 248 m² (2670 sqft)

Sail Plan I=24.40 m J=7.90 m P=23.80 m E=8.10 m

Construction Epoxy, E-Glass, Kevlar

Fresh Water 1500 l

Fuel 2000 l

Engine Perkins M 225TI 225 HP at 2500 RPM

Generator Fisher Panda

Bow thruster Maxpower R 315 13.5 KW

Sails North Sails

Spars Sparcraft S.A., 4 spreaders, Rondal extrusion

Rigging Standing: Navtec Rod rigging

Running: Spectra throughout


Furler Reckmann hydraulic

Deck Gear Antal, Southern Wind

Air cond. Frigomar

Water maker HEM 3000 l/day

Heads Sealand Vacuflush/Sanguinetti






FARR 72 in composite - Cruising option.

All interior structures, bulkheads and furniture are also custom built in sandwich and teak veneered, with hand crafted laminated fiddles.

Designer	Bruce Farr & Associates
Interior design	Arch. Antonio Miumiti
Builder	Southern Wind Shipyard
L.O.A.	21.89 m (71.10')
L.W.L.	18.37 m (60.40')
Beam	5.756 m (18.10')
Draft	2.80 m (9.20')
Displacement	33 tonnes
Ballast	11.4 tonnes
Sail Area	Main + Genoa 248 m ² (2670 sqft)
Sail Plan	I=24.40 m J=7.90 m P=23.80 m E=8.10 m
Construction	Epoxy, E-Glass, Kevlar
Fresh Water	1500 l
Fuel	2000 l


Engine	Perkins M 225TI 225 HP at 2500 RPM
Generator	Fisher Panda
Bow thruster	Maxpower R 315 13.5 KW
Sails	North Sails
Spars	Sparcraft S.A., 4 spreaders
	Rondal extrusion
Rigging	Standing: Navtec Rod rigging
	Running: Spectra throughout
Furler	Reckmann hydraulic
Deck Gear	Antal, Southern Wind
Air cond.	Frigomar
Water maker	HEM 3000 l/day
Heads	Sealand Vacuflush/Sanguinetti



FARR 72

in composite


We have developped a stronger, lighter composite yacht, using high tech materials in order to achieve enhanced performance, without compromising our well known quality fininshes and comfort.




Cruising option owner cabin



Charter option saloon dining area




Charter option settee and coffee table



Cruising option saloon



Charter option guest cabin



Charter option navigation station




Charter option galley



Charter option owner cabin



Owner cabin ensuite head



SOUTHERN WIND SHIPYARD (PTY) LTD.
 Reen Avenue, Athlone Industria 1,
 Cape Town, South Africa.
 Tel. +27 - 21 - 637 8043
 Fax +27 - 21 - 637 8016
 gen520@kingsley.co.za

PEGASO s.r.l.
 Piazza Fontane Marose, 6
 16123 Genova
 Tel. +39 -10 - 5704035
 Fax +39 -10 - 5704065