


**D732 - Farr 280 Polars
Flatwater**



Best Boatspeeds (kt)													
	4	6	8	10	12	14	16	18	20	23	26	30	35
30.0	2.54	3.79	4.75	5.35	5.68	5.86	5.92	5.93	5.91	5.77	5.48	4.87	-
33.0	2.85	4.19	5.21	5.77	6.08	6.25	6.32	6.35	6.34	6.26	6.07	5.62	4.49
36.0	3.13	4.56	5.59	6.12	6.39	6.54	6.61	6.64	6.65	6.60	6.48	6.17	5.35
39.0	3.39	4.89	5.91	6.39	6.63	6.76	6.83	6.87	6.88	6.85	6.77	6.55	5.95
42.0	3.62	5.18	6.18	6.59	6.81	6.94	7.01	7.06	7.08	7.07	7.00	6.83	6.42
45.0	3.84	5.43	6.38	6.76	6.97	7.10	7.18	7.24	7.26	7.26	7.22	7.08	6.75
50.0	4.15	5.78	6.64	7.00	7.21	7.34	7.43	7.49	7.54	7.56	7.54	7.44	7.20
60.0	4.62	6.22	6.98	7.37	7.59	7.75	7.87	7.98	8.06	8.14	8.17	8.13	7.96
70.0	4.89	6.43	7.17	7.66	7.93	8.15	8.34	8.50	8.63	8.79	8.88	8.92	8.83
80.0	4.98	6.54	7.23	7.82	8.27	8.57	8.82	9.06	9.29	9.58	9.80	9.98	10.03
90.0	5.24	6.75	7.31	7.82	8.48	8.98	9.36	9.73	10.07	10.52	10.89	11.27	11.52
100.0	5.40	6.89	7.44	7.90	8.39	9.20	9.94	10.44	10.89	11.54	12.13	12.82	13.47
110.0	5.40	6.94	7.65	8.15	8.66	9.16	9.90	10.93	11.73	12.63	13.56	14.66	15.77
120.0	5.22	6.81	7.71	8.37	8.95	9.58	10.21	10.82	11.57	13.60	14.96	16.42	17.90
130.0	4.82	6.52	7.47	8.38	9.18	9.92	10.66	11.42	12.19	13.44	15.01	17.67	19.49
135.0	4.54	6.31	7.28	8.16	9.16	10.06	10.86	11.70	12.56	13.97	15.37	17.34	20.02
140.0	4.23	6.01	7.04	7.87	8.84	10.05	11.06	11.97	12.94	14.48	16.01	17.90	19.91
150.0	3.52	5.18	6.46	7.30	8.08	9.00	10.23	11.71	13.37	15.46	17.19	19.32	21.39
160.0	2.74	4.14	5.35	6.26	6.86	7.40	7.97	8.62	9.44	10.96	12.95	16.36	20.32
170.0	2.05	3.13	4.17	5.16	6.03	6.69	7.22	7.71	8.26	9.24	10.47	12.48	15.72
180.0	1.77	2.72	3.65	4.54	5.38	6.13	6.70	7.18	7.62	8.35	9.23	10.69	13.01
Up.Vs(kts)	3.85	5.26	6.01	6.29	6.44	6.53	6.60	6.64	6.67	6.68	6.67	6.63	6.59
Up.Vs(s/m)	934.9	685.0	599.1	572.2	558.6	551.5	545.5	542.3	539.6	538.8	539.3	542.9	546.2
Up.Vs(s/L)	4.4	3.2	2.8	2.7	2.6	2.6	2.6	2.6	2.5	2.5	2.5	2.6	2.6
Up.Bt	45.2	42.9	40.0	37.8	36.6	35.9	35.9	35.9	36.3	36.9	37.9	39.8	43.5
Up.Vmg(kts)	2.71	3.85	4.60	4.97	5.17	5.29	5.35	5.38	5.38	5.34	5.26	5.09	4.78
Up.Vmg(s/m)	1326.3	935.0	782.3	724.3	695.8	680.5	673.3	669.7	669.3	673.8	683.8	706.6	752.8
Up.Heel	3.6	7.8	14.6	18.3	21.1	21.7	23.0	22.9	22.9	23.3	23.6	24.3	24.6
Up.Reef	1.00	1.00	1.00	1.00	1.00	1.00	0.94	0.88	0.83	0.77	0.71	0.65	0.57
Up.Flat	1.00	1.00	0.99	0.84	0.72	0.61	0.60	0.60	0.60	0.60	0.60	0.61	0.66
Up.Twist	1.00	1.00	0.99	0.80	0.65	0.50	0.50	0.50	0.50	0.50	0.50	0.51	0.57
Up.Va	7.25	10.46	13.12	15.34	17.41	19.43	21.38	23.34	25.27	28.10	30.88	34.46	38.76
Up.Ba	23.0	22.7	22.3	22.3	22.5	23.1	23.8	24.6	25.6	26.8	28.3	30.5	34.4
Up.Leewy	2.41	2.63	3.17	3.41	3.67	3.76	3.99	4.12	4.26	4.54	4.82	5.29	5.82
Dn.Vs(kts)	4.29	5.84	6.49	7.18	8.17	9.52	10.85	12.06	13.38	15.44	17.43	19.77	21.96
Dn.Vs(s/m)	838.6	616.4	554.7	501.6	440.5	378.3	331.8	298.6	269.0	233.1	206.6	182.1	163.9
Dn.Vs(s/L)	3.9	2.9	2.6	2.4	2.1	1.8	1.6	1.4	1.3	1.1	1.0	0.9	0.8
Dn.Bt	139.0	142.3	149.6	152.0	149.0	146.2	146.2	148.2	149.9	152.2	154.0	155.6	156.7
Dn.Vmg(kts)	3.24	4.62	5.60	6.34	7.00	7.90	9.02	10.24	11.58	13.66	15.66	18.01	20.18
Dn.Vmg(s/m)	1111.4	778.7	643.3	568.1	513.9	455.5	399.1	351.4	310.9	263.5	229.8	199.9	178.4
Dn.Heel	1.7	2.7	2.4	2.8	5.0	8.7	12.3	14.1	16.1	18.3	19.9	21.4	23.2
Dn.Reef	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Dn.Flat	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Dn.Twist	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Dn.Va	2.92	3.82	4.07	4.97	6.51	7.99	9.03	9.76	10.41	11.30	12.25	13.78	16.29
Dn.Ba	64.1	73.4	95.8	109.4	108.9	105.3	105.7	109.4	112.1	115.7	119.0	123.3	128.7
Dn.Leewy	0.74	0.62	0.43	0.40	0.50	0.56	0.50	0.39	0.30	0.19	0.13	0.08	0.05

Best Heel Angles (deg)

	4	6	8	10	12	14	16	18	20	23	26	30	35
30.0	2.5	5.8	10.9	14.6	18.5	20.6	21.5	21.6	22.0	22.0	22.0	21.7	-
33.0	2.8	6.4	12.2	16.8	19.6	21.2	21.7	22.3	22.4	22.5	22.6	23.1	22.2
36.0	3.0	6.9	13.5	18.0	20.5	21.5	22.6	23.1	22.9	23.0	23.1	23.3	23.3
39.0	3.2	7.4	14.6	18.9	21.0	22.5	23.2	23.0	23.3	23.4	23.6	24.3	23.9
42.0	3.4	7.7	15.4	20.2	21.9	23.0	23.8	23.3	23.6	23.2	23.6	24.1	24.4
45.0	3.5	8.0	15.7	20.0	22.5	23.2	23.3	23.4	23.9	23.7	23.9	23.8	24.6
50.0	3.7	8.3	16.0	20.7	23.3	22.8	23.1	23.5	23.8	23.4	23.8	24.1	24.6
60.0	3.9	8.2	14.2	21.8	22.7	23.2	23.1	23.2	23.3	23.4	23.8	24.3	24.8
70.0	3.7	7.4	11.7	19.7	22.4	22.9	23.3	22.9	23.2	23.6	23.7	24.1	25.2
80.0	3.2	16.5	9.4	14.1	21.7	22.8	22.8	22.8	22.9	23.4	23.5	24.4	25.5
90.0	6.1	16.8	20.8	10.1	15.0	21.9	22.6	22.7	23.1	23.4	23.8	24.7	25.5
100.0	6.1	16.1	19.8	20.0	9.8	13.9	20.4	22.7	23.0	23.5	24.2	24.9	26.1
110.0	5.6	13.0	20.0	20.1	20.6	20.6	11.5	16.5	22.5	23.5	24.2	24.9	26.3
120.0	4.4	8.9	15.2	20.4	20.7	20.9	21.4	21.6	11.6	19.2	24.0	25.1	26.5
130.0	2.9	5.7	8.7	13.4	21.0	21.3	21.7	22.1	22.5	23.1	13.5	22.5	26.5
135.0	2.2	4.4	6.5	9.5	14.9	21.8	22.2	22.5	22.8	23.4	24.0	15.0	24.5
140.0	1.5	3.2	4.8	6.8	9.8	15.2	22.5	22.8	23.1	23.8	24.5	25.3	26.7
150.0	0.6	1.4	2.3	3.4	4.5	5.9	7.9	10.7	15.8	24.3	25.5	26.6	28.2
160.0	0.2	0.4	0.6	0.9	1.2	1.6	2.0	2.6	3.2	4.2	5.5	7.7	11.5
170.0	0.0	0.1	0.1	0.2	0.2	0.3	0.4	0.5	0.7	0.9	1.1	1.5	2.1
180.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Up	3.6	7.8	14.6	18.3	21.1	21.7	23.0	22.9	22.9	23.3	23.6	24.3	24.6
Dn	1.7	2.7	2.4	2.8	5.0	8.7	12.3	14.1	16.1	18.3	19.9	21.4	23.2

Best Performance

	TWS	TWA	V	VMG	Heel	Reef	Flat	Twist	AWS	AWA	Lee	Sail
	4.0	30.0	2.543	2.202	2.5	1.000	1.000	1.000	6.33	18.4	3.96	Up
	4.0	33.0	2.849	2.390	2.8	1.000	1.000	1.000	6.57	19.3	3.47	Up
	4.0	36.0	3.131	2.533	3.0	1.000	1.000	1.000	6.79	20.2	3.11	Up
	4.0	39.0	3.388	2.633	3.2	1.000	1.000	1.000	6.97	21.1	2.83	Up
	4.0	42.0	3.624	2.693	3.4	1.000	1.000	1.000	7.12	22.0	2.61	Up
	4.0	45.0	3.838	2.714	3.5	1.000	1.000	1.000	7.24	22.9	2.42	Up
OptUp >	4.0	45.2	3.851	2.714	3.6	1.000	1.000	1.000	7.25	23.0	2.41	Up
	4.0	50.0	4.152	2.669	3.7	1.000	1.000	1.000	7.39	24.5	2.17	Up
	4.0	60.0	4.621	2.310	3.9	1.000	1.000	1.000	7.47	27.6	1.80	Up
	4.0	70.0	4.892	1.673	3.7	1.000	1.000	1.000	7.30	30.9	1.52	Up
	4.0	80.0	4.984	0.865	3.2	1.000	1.000	1.000	6.91	34.7	1.30	Up
	4.0	90.0	5.239	-0.000	6.1	1.000	1.000	1.000	6.58	37.2	1.73	Dn
	4.0	100.0	5.401	-0.938	6.1	1.000	1.000	1.000	6.12	39.8	1.62	Dn
	4.0	110.0	5.399	-1.847	5.6	1.000	1.000	1.000	5.50	42.9	1.48	Dn
	4.0	120.0	5.217	-2.608	4.4	1.000	1.000	1.000	4.72	47.0	1.27	Dn
	4.0	130.0	4.819	-3.097	2.9	1.000	1.000	1.000	3.80	53.7	1.00	Dn
	4.0	135.0	4.542	-3.212	2.2	1.000	1.000	1.000	3.31	58.8	0.86	Dn
OptDn >	4.0	139.0	4.293	3.239	1.7	1.000	1.000	1.000	2.92	64.1	0.74	Dn
	4.0	140.0	4.226	-3.237	1.5	1.000	1.000	1.000	2.82	65.7	0.71	Dn
	4.0	150.0	3.519	-3.047	0.6	1.000	1.000	1.000	2.00	88.4	0.43	Dn
	4.0	160.0	2.740	-2.575	0.2	1.000	1.000	1.000	1.71	126.7	0.19	Dn
	4.0	170.0	2.053	-2.021	0.0	1.000	1.000	1.000	2.01	159.8	0.06	Dn
	4.0	180.0	1.771	-1.771	0.0	1.000	1.000	1.000	2.22	180.0	-0.00	Dn
	6.0	30.0	3.785	3.278	5.8	1.000	1.000	1.000	9.46	18.4	3.96	Up
	6.0	33.0	4.193	3.516	6.4	1.000	1.000	1.000	9.78	19.4	3.51	Up
	6.0	36.0	4.561	3.690	6.9	1.000	1.000	1.000	10.04	20.4	3.17	Up
	6.0	39.0	4.890	3.801	7.4	1.000	1.000	1.000	10.26	21.4	2.90	Up
	6.0	42.0	5.178	3.848	7.7	1.000	1.000	1.000	10.43	22.4	2.69	Up
OptUp >	6.0	42.9	5.255	3.850	7.8	1.000	1.000	1.000	10.46	22.7	2.63	Up
	6.0	45.0	5.429	3.839	8.0	1.000	1.000	1.000	10.54	23.5	2.51	Up
	6.0	50.0	5.777	3.713	8.3	1.000	1.000	1.000	10.65	25.3	2.27	Up
	6.0	60.0	6.224	3.112	8.2	1.000	1.000	1.000	10.56	29.1	1.90	Up
	6.0	70.0	6.426	2.198	7.4	1.000	1.000	1.000	10.16	33.4	1.61	Up
	6.0	80.0	6.537	1.135	16.5	1.000	1.000	1.000	9.46	36.8	2.31	Dn
	6.0	90.0	6.748	-0.000	16.8	1.000	0.941	1.000	8.86	40.4	2.16	Dn
	6.0	100.0	6.885	-1.196	16.1	1.000	0.959	1.000	8.15	44.2	1.99	Dn
	6.0	110.0	6.936	-2.372	13.0	1.000	1.000	1.000	7.35	48.4	1.71	Dn
	6.0	120.0	6.814	-3.407	8.9	1.000	1.000	1.000	6.40	53.4	1.33	Dn
	6.0	130.0	6.524	-4.193	5.7	1.000	1.000	1.000	5.29	59.7	0.99	Dn
	6.0	135.0	6.307	-4.460	4.4	1.000	1.000	1.000	4.71	64.0	0.83	Dn
	6.0	140.0	6.010	-4.604	3.2	1.000	1.000	1.000	4.10	69.8	0.68	Dn
OptDn >	6.0	142.3	5.841	4.623	2.7	1.000	1.000	1.000	3.82	73.4	0.62	Dn
	6.0	150.0	5.185	-4.490	1.4	1.000	1.000	1.000	3.00	90.2	0.42	Dn
	6.0	160.0	4.138	-3.889	0.4	1.000	1.000	1.000	2.54	126.2	0.18	Dn
	6.0	170.0	3.128	-3.080	0.1	1.000	1.000	1.000	2.97	159.5	0.06	Dn
	6.0	180.0	2.723	-2.723	0.0	1.000	1.000	1.000	3.28	180.0	-0.00	Dn

Best Performance (cont)

	TWS	TWA	V	VMG	Heel	Reef	Flat	Twist	AWS	AWA	Lee	Sail
	8.0	30.0	4.748	4.112	10.9	1.000	1.000	1.000	12.32	18.6	4.30	Up
	8.0	33.0	5.208	4.367	12.2	1.000	1.000	1.000	12.65	19.7	3.85	Up
	8.0	36.0	5.592	4.524	13.5	1.000	1.000	1.000	12.90	20.8	3.52	Up
	8.0	39.0	5.913	4.595	14.6	1.000	1.000	1.000	13.07	21.9	3.27	Up
OptUp >	8.0	40.0	6.009	4.602	14.6	1.000	0.993	0.991	13.12	22.3	3.17	Up
	8.0	42.0	6.177	4.590	15.4	1.000	1.000	1.000	13.17	23.1	3.07	Up
	8.0	45.0	6.385	4.515	15.7	1.000	0.995	0.994	13.22	24.3	2.89	Up
	8.0	50.0	6.642	4.269	16.0	1.000	1.000	1.000	13.17	26.6	2.67	Up
	8.0	60.0	6.982	3.491	14.2	1.000	1.000	1.000	12.87	31.4	2.22	Up
	8.0	70.0	7.167	2.451	11.7	1.000	1.000	1.000	12.34	36.6	1.83	Up
	8.0	80.0	7.228	1.255	9.4	1.000	1.000	1.000	11.61	42.1	1.51	Up
	8.0	90.0	7.306	-0.000	20.8	0.986	0.688	1.000	10.46	45.7	2.07	Dn
	8.0	100.0	7.443	-1.292	19.8	0.885	1.000	1.000	9.57	50.8	2.08	Dn
	8.0	110.0	7.647	-2.615	20.0	1.000	0.896	1.000	8.61	55.2	1.77	Dn
	8.0	120.0	7.708	-3.854	15.2	1.000	1.000	1.000	7.65	61.0	1.46	Dn
	8.0	130.0	7.474	-4.804	8.7	1.000	1.000	1.000	6.49	69.0	1.04	Dn
	8.0	135.0	7.279	-5.147	6.5	1.000	1.000	1.000	5.85	73.9	0.86	Dn
OptDn >	8.0	149.6	6.490	5.596	2.4	1.000	1.000	1.000	4.07	95.8	0.43	Dn
	8.0	150.0	6.462	-5.596	2.3	1.000	1.000	1.000	4.02	96.7	0.42	Dn
	8.0	160.0	5.349	-5.027	0.6	1.000	1.000	1.000	3.49	128.4	0.18	Dn
	8.0	170.0	4.169	-4.105	0.1	1.000	1.000	1.000	3.96	159.5	0.06	Dn
	8.0	180.0	3.648	-3.648	0.0	1.000	1.000	1.000	4.35	180.0	-0.00	Dn
	10.0	30.0	5.349	4.633	14.6	1.000	0.850	0.810	14.82	19.1	4.22	Up
	10.0	33.0	5.774	4.843	16.8	1.000	0.856	0.818	15.09	20.2	3.89	Up
	10.0	36.0	6.120	4.952	18.0	1.000	0.848	0.808	15.27	21.5	3.57	Up
OptUp >	10.0	37.8	6.292	4.970	18.3	1.000	0.842	0.801	15.34	22.3	3.41	Up
	10.0	39.0	6.389	4.965	18.9	1.000	0.847	0.808	15.36	22.8	3.36	Up
	10.0	42.0	6.594	4.900	20.2	1.000	0.860	0.824	15.37	24.1	3.26	Up
	10.0	45.0	6.763	4.782	20.0	1.000	0.855	0.818	15.35	25.7	3.06	Up
	10.0	50.0	6.997	4.498	20.7	1.000	0.876	0.844	15.22	28.1	2.88	Up
	10.0	60.0	7.368	3.684	21.8	1.000	0.946	0.932	14.75	33.0	2.60	Up
	10.0	70.0	7.656	2.618	19.7	1.000	1.000	1.000	14.18	38.6	2.19	Up
	10.0	80.0	7.821	1.358	14.1	1.000	1.000	1.000	13.51	45.0	1.69	Up
	10.0	90.0	7.818	-0.000	10.1	1.000	1.000	1.000	12.57	51.5	1.34	Up
	10.0	100.0	7.895	-1.371	20.0	0.795	1.000	1.000	11.12	56.4	1.97	Dn
	10.0	110.0	8.151	-2.788	20.1	0.861	1.000	1.000	10.01	61.8	1.72	Dn
	10.0	120.0	8.371	-4.186	20.4	1.000	0.895	1.000	8.79	67.4	1.44	Dn
	10.0	130.0	8.377	-5.384	13.4	1.000	1.000	1.000	7.70	75.3	1.09	Dn
	10.0	135.0	8.156	-5.767	9.5	1.000	1.000	1.000	7.06	81.2	0.91	Dn
	10.0	140.0	7.866	-6.026	6.8	1.000	1.000	1.000	6.39	88.2	0.74	Dn
OptDn >	10.0	152.0	7.177	6.336	2.8	1.000	1.000	1.000	4.97	109.4	0.40	Dn
	10.0	160.0	6.263	-5.885	0.9	1.000	1.000	1.000	4.64	132.5	0.18	Dn
	10.0	170.0	5.156	-5.077	0.2	1.000	1.000	1.000	5.00	159.7	0.06	Dn
	10.0	180.0	4.542	-4.542	0.0	1.000	1.000	1.000	5.46	180.0	-0.00	Dn

Best Performance (cont)

	TWS	TWA	V	VMG	Heel	Reef	Flat	Twist	AWS	AWA	Lee	Sail
	12.0	30.0	5.678	4.917	18.5	1.000	0.735	0.666	17.05	19.5	4.43	Up
	12.0	33.0	6.084	5.102	19.6	1.000	0.721	0.649	17.28	20.9	3.96	Up
	12.0	36.0	6.394	5.173	20.5	1.000	0.716	0.642	17.40	22.3	3.67	Up
OptUp >	12.0	36.6	6.445	5.174	21.1	1.000	0.721	0.649	17.41	22.5	3.67	Up
	12.0	39.0	6.625	5.149	21.0	1.000	0.713	0.639	17.44	23.8	3.44	Up
	12.0	42.0	6.813	5.063	21.9	1.000	0.722	0.650	17.41	25.3	3.32	Up
	12.0	45.0	6.974	4.931	22.5	1.000	0.732	0.663	17.33	26.9	3.20	Up
	12.0	50.0	7.206	4.632	23.3	1.000	0.757	0.694	17.14	29.5	3.03	Up
	12.0	60.0	7.591	3.796	22.7	1.000	0.804	0.753	16.63	35.2	2.60	Up
	12.0	70.0	7.933	2.713	22.4	1.000	0.885	0.855	15.92	40.9	2.27	Up
	12.0	80.0	8.273	1.437	21.7	1.000	0.988	0.985	15.09	46.7	1.95	Up
	12.0	90.0	8.481	-0.000	15.0	1.000	1.000	1.000	14.36	53.8	1.44	Up
	12.0	100.0	8.391	-1.457	9.8	1.000	1.000	1.000	13.24	61.6	1.10	Up
	12.0	110.0	8.656	-2.960	20.6	0.785	1.000	1.000	11.50	66.7	1.60	Dn
	12.0	120.0	8.949	-4.474	20.7	0.868	1.000	1.000	10.16	73.1	1.36	Dn
	12.0	130.0	9.178	-5.900	21.0	0.986	1.000	1.000	8.71	80.3	1.16	Dn
	12.0	135.0	9.161	-6.478	14.9	1.000	1.000	1.000	8.23	85.3	0.92	Dn
OptDn >	12.0	149.0	8.173	7.005	5.0	1.000	1.000	1.000	6.51	108.9	0.50	Dn
	12.0	150.0	8.083	-7.000	4.5	1.000	1.000	1.000	6.41	111.1	0.47	Dn
	12.0	160.0	6.862	-6.448	1.2	1.000	1.000	1.000	6.03	137.1	0.19	Dn
	12.0	170.0	6.033	-5.942	0.2	1.000	1.000	1.000	6.15	160.2	0.06	Dn
	12.0	180.0	5.384	-5.384	0.0	1.000	1.000	1.000	6.62	180.0	-0.00	Dn
	14.0	30.0	5.859	5.074	20.6	1.000	0.626	0.529	19.14	20.0	4.57	Up
	14.0	33.0	6.254	5.245	21.2	1.000	0.612	0.511	19.35	21.6	4.06	Up
OptUp >	14.0	35.9	6.528	5.291	21.7	1.000	0.606	0.504	19.43	23.1	3.76	Up
	14.0	36.0	6.539	5.290	21.5	1.000	0.603	0.500	19.44	23.2	3.72	Up
	14.0	39.0	6.758	5.252	22.5	1.000	0.609	0.507	19.43	24.8	3.55	Up
	14.0	42.0	6.940	5.158	23.0	1.000	0.615	0.515	19.37	26.4	3.40	Up
	14.0	45.0	7.101	5.021	23.2	0.995	0.628	0.532	19.28	28.2	3.24	Up
	14.0	50.0	7.337	4.716	22.8	0.960	0.695	0.615	19.09	31.2	3.00	Up
	14.0	60.0	7.745	3.873	23.2	0.947	0.779	0.721	18.48	37.1	2.64	Up
	14.0	70.0	8.151	2.788	22.9	0.939	0.874	0.841	17.73	43.1	2.27	Up
	14.0	80.0	8.566	1.488	22.8	0.978	0.909	0.885	16.81	49.1	1.93	Up
	14.0	90.0	8.981	-0.000	21.9	1.000	0.992	0.990	15.79	55.3	1.60	Up
	14.0	100.0	9.203	-1.598	13.9	1.000	1.000	1.000	15.00	63.2	1.12	Up
	14.0	110.0	9.156	-3.132	20.6	0.718	1.000	1.000	13.07	70.5	1.48	Dn
	14.0	120.0	9.580	-4.790	20.9	0.795	1.000	1.000	11.62	77.2	1.22	Dn
	14.0	130.0	9.920	-6.376	21.3	0.905	1.000	1.000	10.03	84.7	1.01	Dn
	14.0	135.0	10.064	-7.116	21.8	0.981	1.000	1.000	9.19	89.0	0.92	Dn
OptDn >	14.0	146.2	9.515	7.903	8.7	1.000	1.000	1.000	7.99	105.3	0.56	Dn
	14.0	150.0	9.004	-7.798	5.9	1.000	1.000	1.000	7.63	114.1	0.46	Dn
	14.0	160.0	7.404	-6.958	1.6	1.000	1.000	1.000	7.48	140.2	0.22	Dn
	14.0	170.0	6.689	-6.587	0.3	1.000	1.000	1.000	7.50	161.1	0.06	Dn
	14.0	180.0	6.133	-6.133	0.0	1.000	1.000	1.000	7.87	180.0	-0.00	Dn

Best Performance (cont)

	TWS	TWA	V	VMG	Heel	Reef	Flat	Twist	AWS	AWA	Lee	Sail
	16.0	30.0	5.924	5.131	21.5	0.949	0.603	0.500	21.14	20.6	4.81	Up
	16.0	33.0	6.324	5.304	21.7	0.938	0.603	0.500	21.34	22.3	4.23	Up
OptUp >	16.0	35.9	6.600	5.347	23.0	0.941	0.603	0.500	21.38	23.8	3.99	Up
	16.0	36.0	6.609	5.347	22.6	0.938	0.603	0.500	21.40	23.9	3.94	Up
	16.0	39.0	6.830	5.308	23.2	0.940	0.604	0.500	21.37	25.7	3.72	Up
	16.0	42.0	7.014	5.213	23.8	0.925	0.634	0.539	21.29	27.4	3.58	Up
	16.0	45.0	7.182	5.079	23.3	0.923	0.637	0.543	21.22	29.3	3.34	Up
	16.0	50.0	7.429	4.775	23.1	0.877	0.732	0.662	21.00	32.5	3.10	Up
	16.0	60.0	7.873	3.936	23.1	0.869	0.810	0.761	20.35	38.8	2.68	Up
	16.0	70.0	8.342	2.853	23.3	0.889	0.860	0.824	19.53	45.0	2.28	Up
	16.0	80.0	8.820	1.532	22.8	0.912	0.915	0.893	18.59	51.4	1.89	Up
	16.0	90.0	9.365	-0.000	22.6	0.960	0.951	0.938	17.49	57.6	1.53	Up
	16.0	100.0	9.939	-1.726	20.4	1.000	1.000	1.000	16.41	64.1	1.16	Up
	16.0	110.0	9.900	-3.386	11.5	1.000	1.000	1.000	15.38	73.3	0.81	Up
	16.0	120.0	10.208	-5.104	21.4	0.735	1.000	1.000	13.09	80.3	1.10	Dn
	16.0	130.0	10.661	-6.853	21.7	0.838	1.000	1.000	11.39	88.1	0.89	Dn
	16.0	135.0	10.865	-7.682	22.2	0.907	1.000	1.000	10.48	92.5	0.80	Dn
OptDn >	16.0	146.2	10.851	9.019	12.3	1.000	1.000	1.000	9.03	105.7	0.50	Dn
	16.0	150.0	10.235	-8.864	7.9	1.000	1.000	1.000	8.71	114.6	0.42	Dn
	16.0	160.0	7.966	-7.485	2.0	1.000	1.000	1.000	8.94	142.3	0.23	Dn
	16.0	170.0	7.218	-7.108	0.4	1.000	1.000	1.000	8.98	162.0	0.07	Dn
	16.0	180.0	6.701	-6.701	0.0	1.000	1.000	1.000	9.30	180.0	-0.00	Dn
	18.0	30.0	5.932	5.137	21.6	0.888	0.603	0.500	23.09	21.2	5.06	Up
	18.0	33.0	6.351	5.326	22.3	0.881	0.603	0.500	23.29	22.9	4.46	Up
OptUp >	18.0	35.9	6.638	5.375	22.9	0.880	0.603	0.500	23.34	24.6	4.12	Up
	18.0	36.0	6.644	5.375	23.1	0.881	0.603	0.500	23.33	24.6	4.14	Up
	18.0	39.0	6.870	5.339	23.0	0.880	0.603	0.500	23.32	26.6	3.83	Up
	18.0	42.0	7.062	5.248	23.3	0.884	0.603	0.500	23.24	28.4	3.62	Up
	18.0	45.0	7.236	5.116	23.4	0.859	0.652	0.561	23.13	30.3	3.45	Up
	18.0	50.0	7.495	4.818	23.5	0.839	0.708	0.632	22.88	33.6	3.20	Up
	18.0	60.0	7.977	3.989	23.2	0.820	0.806	0.755	22.21	40.2	2.72	Up
	18.0	70.0	8.502	2.908	22.9	0.825	0.877	0.844	21.39	46.7	2.26	Up
	18.0	80.0	9.062	1.574	22.8	0.856	0.917	0.895	20.39	53.3	1.84	Up
	18.0	90.0	9.731	-0.000	22.7	0.890	0.980	0.974	19.25	59.6	1.46	Up
	18.0	100.0	10.438	-1.813	22.7	0.960	1.000	1.000	17.91	65.9	1.13	Up
	18.0	110.0	10.925	-3.737	16.5	1.000	1.000	1.000	16.90	73.6	0.77	Up
	18.0	120.0	10.820	-5.410	21.6	0.683	1.000	1.000	14.61	82.8	0.99	Dn
	18.0	130.0	11.415	-7.338	22.1	0.779	1.000	1.000	12.78	90.7	0.77	Dn
	18.0	135.0	11.696	-8.270	22.5	0.842	1.000	1.000	11.81	95.0	0.68	Dn
OptDn >	18.0	148.2	12.056	10.243	14.1	1.000	1.000	1.000	9.76	109.4	0.39	Dn
	18.0	150.0	11.707	-10.139	10.7	1.000	1.000	1.000	9.66	113.7	0.36	Dn
	18.0	160.0	8.620	-8.101	2.6	1.000	1.000	1.000	10.33	143.4	0.24	Dn
	18.0	170.0	7.711	-7.593	0.5	1.000	1.000	1.000	10.49	162.7	0.07	Dn
	18.0	180.0	7.176	-7.176	0.0	1.000	1.000	1.000	10.82	180.0	-0.00	Dn

Best Performance (cont)

	TWS	TWA	V	VMG	Heel	Reef	Flat	Twist	AWS	AWA	Lee	Sail
	20.0	30.0	5.908	5.117	22.0	0.885	0.522	0.500	25.01	21.8	5.20	Up
	20.0	33.0	6.341	5.318	22.4	0.830	0.603	0.500	25.21	23.5	4.69	Up
	20.0	36.0	6.648	5.379	22.9	0.829	0.603	0.500	25.27	25.4	4.29	Up
OptUp >	20.0	36.3	6.672	5.379	22.9	0.828	0.603	0.500	25.27	25.6	4.26	Up
	20.0	39.0	6.882	5.349	23.3	0.830	0.603	0.500	25.23	27.3	4.00	Up
	20.0	42.0	7.083	5.264	23.6	0.821	0.626	0.529	25.14	29.2	3.80	Up
	20.0	45.0	7.263	5.136	23.9	0.817	0.645	0.552	25.01	31.1	3.61	Up
	20.0	50.0	7.536	4.844	23.8	0.784	0.726	0.655	24.74	34.5	3.34	Up
	20.0	60.0	8.059	4.030	23.3	0.755	0.848	0.808	24.07	41.4	2.79	Up
	20.0	70.0	8.634	2.953	23.2	0.783	0.869	0.835	23.19	48.1	2.28	Up
	20.0	80.0	9.289	1.613	22.9	0.805	0.925	0.906	22.18	54.9	1.81	Up
	20.0	90.0	10.071	-0.000	23.1	0.833	1.000	1.000	20.98	61.3	1.40	Up
	20.0	100.0	10.894	-1.892	23.0	0.908	1.000	1.000	19.59	67.7	1.05	Up
	20.0	110.0	11.725	-4.010	22.5	1.000	1.000	1.000	18.04	74.3	0.76	Up
	20.0	120.0	11.570	-5.785	11.6	1.000	1.000	1.000	17.04	84.7	0.52	Up
	20.0	130.0	12.189	-7.835	22.5	0.727	1.000	1.000	14.17	92.7	0.67	Dn
	20.0	135.0	12.560	-8.881	22.8	0.785	1.000	1.000	13.13	96.9	0.58	Dn
OptDn >	20.0	149.9	13.383	11.578	16.1	1.000	1.000	1.000	10.41	112.1	0.30	Dn
	20.0	150.0	13.369	-11.578	15.8	1.000	1.000	1.000	10.40	112.3	0.30	Dn
	20.0	160.0	9.444	-8.875	3.2	1.000	1.000	1.000	11.58	143.9	0.23	Dn
	20.0	170.0	8.260	-8.134	0.7	1.000	1.000	1.000	11.95	163.1	0.07	Dn
	20.0	180.0	7.617	-7.617	0.0	1.000	1.000	1.000	12.38	180.0	-0.00	Dn
	23.0	30.0	5.766	4.993	22.0	0.814	0.524	0.500	27.81	22.5	5.82	Up
	23.0	33.0	6.257	5.247	22.5	0.764	0.603	0.500	28.05	24.4	5.13	Up
	23.0	36.0	6.599	5.339	23.0	0.764	0.603	0.500	28.11	26.3	4.64	Up
OptUp >	23.0	36.9	6.682	5.343	23.3	0.765	0.603	0.500	28.10	26.8	4.54	Up
	23.0	39.0	6.853	5.326	23.4	0.760	0.614	0.513	28.07	28.2	4.31	Up
	23.0	42.0	7.069	5.253	23.2	0.740	0.654	0.564	28.00	30.4	4.01	Up
	23.0	45.0	7.265	5.137	23.7	0.736	0.676	0.592	27.85	32.3	3.82	Up
	23.0	50.0	7.559	4.859	23.4	0.713	0.743	0.677	27.58	35.9	3.47	Up
	23.0	60.0	8.141	4.070	23.4	0.703	0.832	0.788	26.83	42.9	2.89	Up
	23.0	70.0	8.785	3.005	23.6	0.720	0.879	0.847	25.88	49.9	2.34	Up
	23.0	80.0	9.579	1.663	23.4	0.739	0.937	0.921	24.83	56.9	1.80	Up
	23.0	90.0	10.520	-0.000	23.4	0.770	0.999	0.999	23.58	63.5	1.33	Up
	23.0	100.0	11.544	-2.005	23.5	0.840	1.000	1.000	22.10	70.0	0.95	Up
	23.0	110.0	12.631	-4.320	23.5	0.928	1.000	1.000	20.38	76.5	0.66	Up
	23.0	120.0	13.602	-6.801	19.2	1.000	1.000	1.000	18.93	83.6	0.42	Up
	23.0	130.0	13.438	-8.638	23.1	0.662	1.000	1.000	16.26	94.7	0.53	Dn
	23.0	135.0	13.971	-9.879	23.4	0.714	1.000	1.000	15.10	98.7	0.44	Dn
	23.0	140.0	14.485	-11.096	23.8	0.781	1.000	1.000	13.89	103.0	0.36	Dn
OptDn >	23.0	152.2	15.445	13.662	18.3	1.000	1.000	1.000	11.30	115.7	0.19	Dn
	23.0	160.0	10.962	-10.301	4.2	1.000	1.000	1.000	13.23	143.6	0.20	Dn
	23.0	170.0	9.237	-9.097	0.9	1.000	1.000	1.000	14.00	163.4	0.07	Dn
	23.0	180.0	8.348	-8.348	0.0	1.000	1.000	1.000	14.65	180.0	-0.00	Dn

Best Performance (cont)

	<i>TWS</i>	<i>TWA</i>	<i>V</i>	<i>VMG</i>	<i>Heel</i>	<i>Reef</i>	<i>Flat</i>	<i>Twist</i>	<i>AWS</i>	<i>AWA</i>	<i>Lee</i>	<i>Sail</i>
	26.0	30.0	5.482	4.748	22.0	0.717	0.603	0.500	30.48	23.3	7.06	Up
	26.0	33.0	6.072	5.092	22.6	0.711	0.603	0.500	30.79	25.1	5.79	Up
	26.0	36.0	6.481	5.243	23.1	0.710	0.603	0.500	30.90	27.1	5.08	Up
OptUp >	26.0	37.9	6.675	5.265	23.6	0.712	0.603	0.500	30.88	28.3	4.82	Up
	26.0	39.0	6.768	5.260	23.6	0.710	0.607	0.505	30.86	29.1	4.67	Up
	26.0	42.0	7.004	5.205	23.6	0.700	0.631	0.536	30.78	31.2	4.33	Up
	26.0	45.0	7.217	5.103	23.9	0.678	0.690	0.609	30.63	33.3	4.11	Up
	26.0	50.0	7.537	4.845	23.8	0.660	0.753	0.689	30.33	36.9	3.72	Up
	26.0	60.0	8.169	4.085	23.8	0.658	0.822	0.776	29.54	44.2	3.04	Up
	26.0	70.0	8.880	3.037	23.7	0.674	0.862	0.826	28.57	51.5	2.41	Up
	26.0	80.0	9.800	1.702	23.5	0.682	0.946	0.933	27.50	58.6	1.80	Up
	26.0	90.0	10.892	-0.000	23.8	0.715	1.000	1.000	26.17	65.4	1.28	Up
	26.0	100.0	12.130	-2.106	24.2	0.781	1.000	1.000	24.57	71.9	0.88	Up
	26.0	110.0	13.557	-4.637	24.2	0.862	1.000	1.000	22.77	78.2	0.56	Up
	26.0	120.0	14.958	-7.479	24.0	0.968	1.000	1.000	20.66	84.6	0.36	Up
	26.0	130.0	15.007	-9.647	13.5	1.000	1.000	1.000	19.44	95.0	0.24	Up
	26.0	135.0	15.371	-10.869	24.0	0.656	1.000	1.000	17.06	100.2	0.33	Dn
	26.0	140.0	16.010	-12.264	24.5	0.719	1.000	1.000	15.71	104.4	0.27	Dn
OptDn >	26.0	154.0	17.426	15.663	19.9	1.000	1.000	1.000	12.25	119.0	0.13	Dn
	26.0	160.0	12.945	-12.165	5.5	1.000	1.000	1.000	14.50	142.4	0.15	Dn
	26.0	170.0	10.465	-10.306	1.1	1.000	1.000	1.000	15.80	163.4	0.06	Dn
	26.0	180.0	9.227	-9.227	0.0	1.000	1.000	1.000	16.77	180.0	-0.00	Dn
	30.0	30.0	4.870	4.218	21.7	0.657	0.603	0.500	33.85	24.3	9.54	Up
	30.0	33.0	5.618	4.712	23.1	0.655	0.603	0.500	34.25	26.0	7.36	Up
	30.0	36.0	6.167	4.989	23.3	0.651	0.603	0.500	34.48	28.0	6.05	Up
	30.0	39.0	6.549	5.090	24.3	0.650	0.613	0.512	34.46	29.9	5.46	Up
OptUp >	30.0	39.8	6.631	5.095	24.3	0.650	0.614	0.513	34.46	30.5	5.29	Up
	30.0	42.0	6.833	5.078	24.1	0.635	0.647	0.556	34.41	32.2	4.95	Up
	30.0	45.0	7.077	5.004	23.8	0.611	0.710	0.634	34.31	34.4	4.57	Up
	30.0	50.0	7.440	4.782	24.1	0.597	0.770	0.710	33.97	38.1	4.12	Up
	30.0	60.0	8.130	4.065	24.3	0.590	0.853	0.815	33.10	45.7	3.32	Up
	30.0	70.0	8.920	3.051	24.1	0.609	0.878	0.847	32.09	53.3	2.57	Up
	30.0	80.0	9.985	1.734	24.4	0.619	0.966	0.958	30.89	60.5	1.87	Up
	30.0	90.0	11.269	-0.000	24.7	0.655	1.000	1.000	29.50	67.5	1.27	Up
	30.0	100.0	12.819	-2.226	24.9	0.714	1.000	1.000	27.86	74.1	0.80	Up
	30.0	110.0	14.661	-5.014	24.9	0.786	1.000	1.000	25.94	80.2	0.47	Up
	30.0	120.0	16.415	-8.208	25.1	0.887	1.000	1.000	23.56	86.6	0.28	Up
	30.0	130.0	17.672	-11.359	22.5	1.000	1.000	1.000	21.30	94.3	0.17	Up
	30.0	135.0	17.343	-12.264	15.0	1.000	1.000	1.000	20.86	100.7	0.14	Up
	30.0	140.0	17.899	-13.711	25.3	0.654	1.000	1.000	18.15	106.3	0.19	Dn
OptDn >	30.0	155.6	19.772	18.013	21.4	1.000	1.000	1.000	13.78	123.3	0.08	Dn
	30.0	160.0	16.364	-15.377	7.7	1.000	1.000	1.000	15.60	139.3	0.08	Dn
	30.0	170.0	12.483	-12.293	1.5	1.000	1.000	1.000	17.84	163.0	0.05	Dn
	30.0	180.0	10.690	-10.690	0.0	1.000	1.000	1.000	19.31	180.0	-0.00	Dn

Best Performance (cont)

	<i>TWS</i>	<i>TWA</i>	<i>V</i>	<i>VMG</i>	<i>Heel</i>	<i>Reef</i>	<i>Flat</i>	<i>Twist</i>	<i>AWS</i>	<i>AWA</i>	<i>Lee</i>	<i>Sail</i>
	35.0	30.0	0.000	0.000	0.0	0.000	0.000	0.000	0.00	0.0	0.00	Up
	35.0	33.0	4.492	3.767	22.2	0.595	0.603	0.500	38.17	27.5	12.26	Up
	35.0	36.0	5.353	4.331	23.3	0.593	0.603	0.500	38.61	29.3	8.77	Up
	35.0	39.0	5.954	4.627	23.9	0.585	0.620	0.521	38.79	31.3	7.11	Up
	35.0	42.0	6.419	4.770	24.4	0.567	0.667	0.580	38.81	33.3	6.15	Up
OptUp >	35.0	43.5	6.592	4.782	24.6	0.571	0.661	0.572	38.76	34.4	5.82	Up
	35.0	45.0	6.749	4.772	24.6	0.553	0.712	0.637	38.71	35.5	5.55	Up
	35.0	50.0	7.196	4.625	24.6	0.538	0.770	0.710	38.42	39.4	4.81	Up
	35.0	60.0	7.964	3.982	24.8	0.532	0.851	0.813	37.50	47.2	3.79	Up
	35.0	70.0	8.828	3.019	25.2	0.540	0.915	0.893	36.31	55.1	2.93	Up
	35.0	80.0	10.026	1.741	25.5	0.555	0.980	0.974	35.04	62.6	2.05	Up
	35.0	90.0	11.523	-0.000	25.5	0.590	1.000	1.000	33.63	70.0	1.31	Up
	35.0	100.0	13.472	-2.339	26.1	0.645	1.000	1.000	31.82	76.6	0.76	Up
	35.0	110.0	15.768	-5.393	26.3	0.712	1.000	1.000	29.72	82.7	0.41	Up
	35.0	120.0	17.897	-8.948	26.5	0.805	1.000	1.000	27.13	89.2	0.23	Up
	35.0	130.0	19.488	-12.527	26.5	0.937	1.000	1.000	24.19	97.1	0.14	Up
	35.0	135.0	20.015	-14.153	24.5	1.000	1.000	1.000	23.02	101.9	0.11	Up
	35.0	140.0	19.906	-15.249	26.7	0.594	1.000	1.000	21.24	109.0	0.14	Dn
	35.0	150.0	21.390	-18.524	28.2	0.800	1.000	1.000	17.82	120.0	0.08	Dn
OptDn >	35.0	156.7	21.965	20.181	23.2	1.000	1.000	1.000	16.29	128.7	0.05	Dn
	35.0	160.0	20.321	-19.096	11.5	1.000	1.000	1.000	17.19	137.0	0.05	Dn
	35.0	170.0	15.719	-15.480	2.1	1.000	1.000	1.000	19.71	162.1	0.03	Dn
	35.0	180.0	13.015	-13.015	0.0	1.000	1.000	1.000	21.99	180.0	-0.00	Dn